DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD		TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
	)	
	•	111

EX

	RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR	AAAAA AA AA AA AA AA AA AA AA AA AA AA AA AAAAAAAA	0000000 0000000 0000000 00000000000000			••••
RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR	EEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEEE					

\_\_\_

```
COPYRIGHT (c) 1978, 1980, 1982, 1984 BY DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. ALL RIGHTS RESERVED.
```

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

This file, TRACELIT.REQ, contains the literals for trace record types and subtypes.

MACRO TRACELIT =

1 .

```
ERAL
EDISSIR_START = 1,
EDISSIR_SSTART_INIT = 1,
EDISSIR_SSTART_TERM = 2,
EDISSIR_SCOM = 2,
EDISSIR_SCOM_OUT = 2,
EDISSIR_SCOM_OUT = 3,
EDISSIR_SCOM_OUT = 4,
EDISSIR_SCOM_SW_JOU = 5,
EDISSIR_SCOM_SW_CMD = 6,
EDISSIR_SCOM_SW_REC = 7,
EDISSIR_SCOM_SW_REA = 8,
EDISSIR_SK_OM_SW_REA = 8,
EDISSIR_SK_LN = 2,
EDISSIR_SK_LN = 2,
EDISSIR_SK_CH_NE = 4,
EDISSIR_SK_CH_NE = 6,
EDISSIR_SK_CH_NE = 6,
EDISSIR_SCR_LN = 1,
EDISSIR_SCR_LN = 1,
EDISSIR_SCR_CH = 2,
EDISSIR_IFO = 5,
LITERAL
                                                                                 ! Startup
                                                                                                          first record in file
                                                                                                          Terminal type Command line
                                                                                                          Input file name
                                                                                                          Output file name
                                                                                                          Command file name
Journal file name
                                                                                                          Value of /JOURNAL switch
                                                                                                          Value of /COMMAND switch
                                                                                                          Value of /RECOVER switch
                                                                                                          /READ switch seen
                                                                                                          Keyboard input
                                                                                                          Prompt string
                                                                                 ! Line read using RMS
! RMS STS from that read
                                                                                 ! Line terminator, not echoed ! Characters read using QIO, with echo
                                                                                                          Characters read using Q10, no echo
                                                                                                          Screen output
                                                                                                      ! Line printed using RMS
                                                                                                     ! Characters printed using QIO
                                                                                                      ! Input file open
```

```
EDTSSTR SIFO FNAM = 1, EDTSSTR SIFO DNAM = 2, EDTSSTR SIFO DNAM = 3, EDTSSTR SIFO DNAM = 5, EDTSSTR SIFO DNAM = 6, EDTSSTR SIFO DNAM = 1, EDTSSTR SIFO CON STS = 7, EDTSSTR SIFO CON STS = 7, EDTSSTR SIFO CON STS = 9, EDTSSTR SIFO CON STS = 9, EDTSSTR SIFO CON STS = 3, EDTSSTR SIFO CON STS = 2, EDTSSTR SIFO CON STS = 3, EDTSSTR SIFO CON STS = 3, EDTSSTR SIFO CON STS = 3, EDTSSTR SIFO CON STS = 2, EDTSSTR SIFO CON STS = 3, EDTSSTR SOFO CRE STS = 4, EDTSSTR SOFO CRE STS = 4, EDTSSTR SOFO CRE STS = 5, EDTSSTR SOFO CRE STS = 6, EDTSSTR SOFO CRE STS = 6, EDTSSTR SOFO CON STS = 7, EDTSSTR SOFO CON STS = 7, EDTSSTR SOFO CON STS = 7, EDTSSTR SOFO CON STS = 6, EDTSSTR SOFO CON STS = 7, EDTSSTR SOFO CON STS = 6, EDTSSTR SOFO CON STS = 6, EDTSSTR SOFO CON STS = 6, EDTSSTR SOFO STS = 10, EDTSSTR SOFO STS = 10, EDTSSTR SOFO STS = 10, EDTSSTR SOFO STS = 2, EDTSSTR SOFO STS = 2, EDTSSTR SOFO STS = 3, EDTSSTR SOFO STS = 1, EDTSSTR S
                                                                                                                                                         File name
Default file name
Related file name
                                                                                                                                                            STS from SOPEN
                                                                                                                                                             STV from SOPEN
                                                                                                                                                            IFI from SOPEN
                                                                                                                                                            STS from $CONNECT
                                                                                                                                                             STV from $CONNECT
                                                                                                                                                            ISI from $CONNECT
                                                                                                                                                            Resultant file name
                                                                                                                                                           Input file read ISI of file SIS from $GET
                                                                                                                                                             STV from $GET
                                                                                                                                                           Text of the record read input file close
                                                                                                                                                           IFI of file
STS from $CLOSE
                                                                                                                                                             STV from $CLOSE
                                                                                                                                                           Output file open
                                                                                                                                                           file name
                                                                                                                                                           Default file name
Related file name
                                                                                                                                                           STS from SCREATE
                                                                                                                                                           STV from SCREATE
                                                                                                                                                           IFI from SCREATE
                                                                                                                                                           STS from $CONNECT
                                                                                                                                                           STV from $CONNECT
                                                                                                                                                           ISI from $CONNECT
                                                                                                                                                           Resultant file name
                                                                                                                                                           Append file open
                                                                                                                                                           file name
                                                                                                                                                           Default file name
Related file name
                                                                                                                                                           STS from SOPEN STV from SOPEN
                                                                                                                                                           IFI from SOPEN
                                                                                                                                                           STS from $CONNECT
                                                                                                                                                           STV from $CONNECT
                                                                                                                                                           ISI from $CONNECT
                                                                                                                                                          Resultant file name Output file write ISI of file
                                                                                                                                                           Text of the record to be written
                                                                                                                                                           STS from SPUT
                                                                                                                                                            STV from $PUT
                                                                                                                                                          Output file close IFI of file STS from $CLOSE
                                                                                                                                                            STV from $CLOSE
                                                                                                                                                            $FLUSH
                                                                                                                                                            ISI for $FLUSH
                                                                                                                                                            $CLOSE
                                                                                                                                                            IFI for $CLOSE
                                                                                                           ! Idle point
                                                                                                                                                    ! Idle waiting for keyboard input
```

```
TRACELIT.REQ;1

16-SEP-1984 16:50:11.34 Page 3

EDT$$TR_EXI = 15, ! EXIT ! (No subtype really needed)

15: End of file TRACELIT.REQ
```

0130 AH-BT13A-SE

## DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

